Journal of Nuclear Materials 187 (1992) 309–311
North-Holland

journal of nuclear materials

Author index

Alexander, D.J., see Klueh, R.L. 187 (1992) 60
Alimov, V.Kh., R. Schwörer, B.M.U. Scherzer and J. Roth, Thermal desorption of D_2 and CD_4 from bulk-boronized graphites 187 (1992) 191
Asari, E., see Nakamura, K.G. 187 (1992) 294
Asundi, M.K., see Chakravartty, J.K. 187 (1992) 260
Axler, K.M. and R.I. Sheldon, The effect of initial composition on PuOCl formation in the direct oxide reduction of PuO_2 187 (1992) 183

Bai, J.B. and D. François, Some evidence of a brittle–ductile transition of zirconium hydride between 20 and 350°C 187 (1992) 186
Balasubramaniam, R., Elastic moduli of binary bcc solid solutions of Group Vb elements 187 (1992) 180
Bandurko, V.V., see Pisarev, A.A. 187 (1992) 254
Banerjee, S., see Chakravartty, J.K. 187 (1992) 260
Barabash, V.R., A.G. Baranov, J. Gahl, V.L. Litunovsky, J. McDonald and I.B. Ovchinnikov, Experimental study of pulse plasma–carbon materials interaction during the simulation of thermal quench phase of tokamak plasma disruption 187 (1992) 298
Baranov, A.G., see Barabash, V.R. 187 (1992) 298
Bardon, J., see Grisolia, C. 187 (1992) 74
Bell, G.E.C., T. Inazumi, E.A. Kenik and T. Kondo, Electrochemical and microstructural characterization of an austenitic stainless steel irradiated by heavy ions at 515°C 187 (1992) 170
Billone, M.C., see Federici, G. 187 (1992) 1
Boivin, R. and B. Terreault, Laser desorption study of beryllium's hydrogen recycling properties at high temperature 187 (1992) 117
Borodin, V.A., Yu.R. Kevorkyan, V.V. Kolomytkin and A.I. Ryazanov, An estimate of the irradiation creep rate in α-Fe based on computer simulation of vacancy pipe diffusion along ⟨100⟩{010} dislocations 187 (1992) 131
Britz, L., see Ghoneim, M.M. 187 (1992) 80

Chakravartty, J.K., S. Banerjee, Y.V.R.K. Prasad and M.K. Asundi, Hot-working characteristics of Zircaloy-2 in the temperature range of 650–950°C 187 (1992) 260
Chenier, M.P., see Elliot, A.J. 187 (1992) 230
Choudhury, R., see Das, P. 187 (1992) 272
Christensen, L.D., see Emig, J.A. 187 (1992) 209
Coronado, P.R., see Emig, J.A. 187 (1992) 209

Daiev, Ch., see Vassilev, G.P. 187 (1992) 99
Daimon, T., see Miyake, M. 187 (1992) 138
Das, P. and R. Choudhury, Formation of peripheral porosity regions around urania in zirconia–urania mixed oxide powder compact sintering 187 (1992) 272
Dey, G.K., see Kishore, R. 187 (1992) 70
Duclos, A.M., see Hayward, P.J. 187 (1992) 215

Elliot, A.J. and M.P. Chenier, Radiolysis of 4.5 mol dm^{-3} LiOH with $^6Li(n, \alpha)^3H$ ion recoil 187 (1992) 230
Emig, J.A., R.G. Garza, L.D. Christensen, P.R. Coronado and P.C. Souers, Helium release from 19-year-old palladium tritide 187 (1992) 209
Evans, D.G., see Hayward, P.J. 187 (1992) 215

Federici, G., C.H. Wu, A.R. Raffray and M.C. Billone, Modeling of tritium release from ceramic breeders: Status and some implications for next-step devices 187 (1992) 1
Forlerer de Svarch, E., see Rodríguez, C. 187 (1992) 97
François, D., see Bai, J.B. 187 (1992) 186
Fujii, K., H. Imai, S. Nomura and M. Shindo, Functionally gradient material of silicon carbide and carbon as advanced oxidation-resistant graphite 187 (1992) 204
Fujii, K., S. Nomura, H. Imai and M. Shindo, Oxidation behavior of boronated graphite in helium, containing water vapor 187 (1992) 32

Gahl, J., see Barabash, V.R. 187 (1992) 298
Garner, F.A. and M.A. Mitchell, The complex role of phosphorus in the neutron-induced swelling of titanium-modified austenitic stainless steels 187 (1992) 223
Garner, F.A., see Mitchell, M.A. 187 (1992) 103
Garza, R.G., see Emig, J.A. 187 (1992) 209
George, I.M., see Hayward, P.J. 187 (1992) 215
Ghoneim, M.M., F.H. Hammad, D. Pachur and L. Britz, Compound Charpy specimens by adhesive joining 187 (1992) 80

Grisolia, C., A. Grosman and J. Bardon, Depletion of hydrogenoid atoms from the carbonized layer in Tore Supra 187 (1992) 74
Grosman, A., see Grisolia, C. 187 (1992) 74

Hamilton, M.L., see Huang, F.H. 187 (1992) 278
Hammad, F.H., see Ghoneim, M.M. 187 (1992) 80
Hashimoto, T. and N. Shigenaka, A theory of dislocation loop formation in binary alloys under irradiation 187 (1992) 161
Hayward, P.J., D.G. Evans, P. Taylor, I.M. George and A.M. Duclos, Oxidation of uranium in argon–25% oxygen at 190–610°C 187 (1992) 215
Hishinuma, A., see Sawai, T. 187 (1992) 146
Huang, F.H. and M.L. Hamilton, The fracture toughness database of ferritic alloys irradiated to very high neutron exposures 187 (1992) 278

Imai, H., see Fujii, K. 187 (1992) 204
Imai, H., see Fujii, K. 187 (1992) 32
Inazumi, T., see Bell, G.E.C. 187 (1992) 170

Kanashenko, S.L. and D.B. Kuzminov, Phase-equilibrium diagram for heavy inert gas bubbles confined in an elastic matrix 187 (1992) 55
Kawabe, T., see Nakamura, K.G. 187 (1992) 294
Kawamura, Y., see Nishikawa, M. 187 (1992) 153
Kenik, E.A., Radiation-induced segregation in irradiated Type 304 stainless steels 187 (1992) 239
Kenik, E.A., see Bell, G.E.C. 187 (1992) 170
Kevorkyan, Yu.R., see Borodin, V.A. 187 (1992) 131
Kinoshita, C., see Yasuda, K. 187 (1992) 109
Kishore, R., R.N. Singh, G.K. Dey and T.K. Sinha, Age hardening of cold-worked Zr–2.5wt% Nb pressure tube alloy 187 (1992) 70
Kitajima, M., see Nakamura, K.G. 187 (1992) 294
Klueh, R.L. and D.J. Alexander, Embrittlement of 9Cr–1MoVNb and 12Cr–1MoVW steels irradiated in HFIR 187 (1992) 60
Klueh, R.L. and P.J. Maziasz, Effect of irradiation in HFIR on tensile properties of Cr–Mo steels 187 (1992) 43
Kolomytkin, V.V., see Borodin, V.A. 187 (1992) 131
Kondo, T., see Bell, G.E.C. 187 (1992) 170
Kutsuwada, M., see Yasuda, K. 187 (1992) 109
Kuzminov, D.B., see Kanashenko, S.L. 187 (1992) 55

Lemaignan, C., Impact of β^- radiolysis and transient products on irradiation-enhanced corrosion of zirconium alloys 187 (1992) 122
Litunovsky, V.L., see Barabash, V.R. 187 (1992) 298

Maziasz, P.J., see Klueh, R.L. 187 (1992) 43
Maziasz, P.J., see Sawai, T. 187 (1992) 146
McDonald, J., see Barabash, V.R. 187 (1992) 298
Mitchell, M.A. and F.A. Garner, Neutron-induced swelling of binary Ni–Al alloys 187 (1992) 103
Mitchell, M.A., see Garner, F.A. 187 (1992) 223
Miyake, C., see Miyake, M. 187 (1992) 138
Miyake, M., W. Saiki, T. Daimon, P. Son, C. Miyake and H. Ohya-Nishiguchi, ESR spectra in graphite irradiated with He^+ ions 187 (1992) 138
Munakata, K., see Nishikawa, M. 187 (1992) 153

Nagai, S., see Terai, T. 187 (1992) 247
Nakamura, K.G., E. Asari, M. Kitajima and T. Kawabe, The energy dependence of lattice damage in graphite induced by low energy He-ion irradiation 187 (1992) 294
Nishikawa, M., Y. Kawamura, K. Munakata and K. Yoneda, Li transfer from a Li_2O blanket 187 (1992) 153
Nomura, S., see Fujii, K. 187 (1992) 204
Nomura, S., see Fujii, K. 187 (1992) 32

Ohya-Nishiguchi, H., see Miyake, M. 187 (1992) 138
Olander, D.R., see Park, K. 187 (1992) 89
Ovchinnikov, I.B., see Barabash, V.R. 187 (1992) 298

Pachur, D., see Ghoneim, M.M. 187 (1992) 80
Park, K. and D.R. Olander, Defect models for the oxygen potentials of gadolinium- and europium-doped urania 187 (1992) 89
Patil, R.V., Self-diffusion in Zr–Ag alloys 187 (1992) 197
Pisarev, A.A., V.M. Smirnov, S.K. Zhdanov, A.V. Varava and V.V. Bandurko, Trapping and reemission of deuterium implanted in BN 187 (1992) 254
Prasad, Y.V.R.K., see Chakravartty, J.K. 187 (1992) 260
Pulham, R.J. and M.W. Richards, Chemical reactions of caesium, tellurium and oxygen with fast breeder reactor cladding alloys. Part V – The corrosion of 12R72HV steel by Cs_2Te under constant O_2 potentials 187 (1992) 39

Raffray, A.R., see Federici, G. 187 (1992) 1
Richards, M.W., see Pulham, R.J. 187 (1992) 39
Rodríguez, C. and E. Forlerer de Svarch, The influence of iron impurities on grain boundary self-diffusion in zirconium below 1138 K 187 (1992) 97
Roth, J., see Alimov, V.Kh. 187 (1992) 191
Ryazanov, A.I., see Borodin, V.A. 187 (1992) 131

Saiki, W., see Miyake, M. 187 (1992) 138
Sawai, T., M. Suzuki, P.J. Maziasz and A. Hishinuma, Comparison of immersion density and improved microstructural characterization methods for measuring

swelling in small irradiated disk specimens 187 (1992) 146
Scherzer, B.M.U., see Alimov, V.Kh. 187 (1992) 191
Schwörer, R., see Alimov, V.Kh. 187 (1992) 191
Shaikh, M.A., Void denudation and grain boundary migration in ion-irradiated nickel 187 (1992) 303
Sheldon, R.I., see Axler, K.M. 187 (1992) 183
Shigenaka, N., see Hashimoto, T. 187 (1992) 161
Shindo, M., see Fujii, K. 187 (1992) 204
Shindo, M., see Fujii, K. 187 (1992) 32
Shinohara, K., see Yasuda, K. 187 (1992) 109
Singh, R.N., see Kishore, R. 187 (1992) 70
Sinha, T.K., see Kishore, R. 187 (1992) 70
Smirnov, V.M., see Pisarev, A.A. 187 (1992) 254
Son, P., see Miyake, M. 187 (1992) 138
Souers, P.C., see Emig, J.A. 187 (1992) 209
Suzuki, M., see Sawai, T. 187 (1992) 146

Takahashi, Y., see Terai, T. 187 (1992) 247
Taylor, P., see Hayward, P.J. 187 (1992) 215
Terai, T., S. Nagai, T. Yoneoka and Y. Takahashi, Diffusion coefficient of tritium in molten lithium–lead alloy ($Li_{17}Pb_{83}$) under neutron irradiation at elevated temperatures 187 (1992) 247
Terreault, B., see Boivin, R. 187 (1992) 117

Varava, A.V., see Pisarev, A.A. 187 (1992) 254
Vassilev, G.P. and Ch. Daiev, Alkaline solutions–bitumen interactions 187 (1992) 99

Wu, C.H., see Federici, G. 187 (1992) 1

Yamada, M., see Yasuda, K. 187 (1992) 109
Yasuda, K., K. Shinohara, M. Yamada, M. Kutsuwada and C. Kinoshita, A new method for evaluating stress–strain properties of metals using ultra-microhardness technique 187 (1992) 109
Yoneda, K., see Nishikawa, M. 187 (1992) 153
Yoneoka, T., see Terai, T. 187 (1992) 247

Zhdanov, S.K., see Pisarev, A.A. 187 (1992) 254

Journal of Nuclear Materials 187 (1992) 313–317
North-Holland

journal of nuclear materials

Subject index

Alloys and Metals *("Various", i.e. not listed elsewhere by name)*
A theory of dislocation loop formation in binary alloys under irradiation, T. Hashimoto and N. Shigenaka 187 (1992) 161

Analytical Instruments and Methods
The energy dependence of lattice damage in graphite induced by low energy He-ion irradiation, K.G. Nakamura, E. Asari, M. Kitajima and T. Kawabe 187 (1992) 294

Beryllium, Beryllium Alloys and Compounds
Laser desorption study of beryllium's hydrogen recycling properties at high temperature, R. Boivin and B. Terreault 187 (1992) 117
Trapping and reemission of deuterium implanted in BN, A.A. Pisarev, V.M. Smirnov, S.K. Zhdanov, A.V. Varava and V.V. Bandurko 187 (1992) 254

Blanket Materials
Modeling of tritium release from ceramic breeders: Status and some implications for next-step devices, G. Federici, C.H. Wu, A.R. Raffray and M.C. Billone 187 (1992) 1
Li transfer from a Li_2O blanket, M. Nishikawa, Y. Kawamura, K. Munakata and K. Yoneda 187 (1992) 153
Radiolysis of 4.5 mol dm^{-3} LiOH with $^6Li(n, \alpha)^3H$ ion recoil, A.J. Elliot and M.P. Chenier 187 (1992) 230
Diffusion coefficient of tritium in molten lithium–lead alloy ($Li_{17}Pb_{83}$) under neutron irradiation at elevated temperatures, T. Terai, S. Nagai, T. Yoneoka and Y. Takahashi 187 (1992) 247

Ceramics *("Various", i.e. not listed elsewhere by name)*
Thermal desorption of D_2 and CD_4 from bulk-boronized graphites, V.Kh. Alimov, R. Schwörer, B.M.U. Scherzer and J. Roth 187 (1992) 191

Cladding Materials
Chemical reactions of caesium, tellurium and oxygen with fast breeder reactor cladding alloys. Part V – The corrosion of 12R72HV steel by Cs_2Te under constant O_2 potentials, R.J. Pulham and M.W. Richards 187 (1992) 39

Compatibility and Corrosion
Oxidation behavior of boronated graphite in helium, containing water vapor, K. Fujii, S. Nomura, H. Imai and M. Shindo 187 (1992) 32
Chemical reactions of caesium, tellurium and oxygen with fast breeder reactor cladding alloys. Part V – The corrosion of 12R72HV steel by Cs_2Te under constant O_2 potentials, R.J. Pulham and M.W. Richards 187 (1992) 39
Alkaline solutions–bitumen interactions, G.P. Vassilev and Ch. Daiev 187 (1992) 99
Impact of β^- radiolysis and transient products on irradiation-enhanced corrosion of zirconium alloys, C. Lemaignan 187 (1992) 122
Electrochemical and microstructural characterization of an austenitic stainless steel irradiated by heavy ions at 515°C, G.E.C. Bell, T. Inazumi, E.A. Kenik and T. Kondo 187 (1992) 170
Oxidation of uranium in argon–25% oxygen at 190–610°C, P.J. Hayward, D.G. Evans, P. Taylor, I.M. George and A.M. Duclos 187 (1992) 215

Computer Calculations, including Modelling
Modeling of tritium release from ceramic breeders: Status and some implications for next-step devices, G. Federici, C.H. Wu, A.R. Raffray and M.C. Billone 187 (1992) 1
An estimate of the irradiation creep rate in α-Fe based on computer simulation of vacancy pipe diffusion along ⟨100⟩{010} dislocations, V.A. Borodin, Yu.R. Kevorkyan, V.V. Kolomytkin and A.I. Ryazanov 187 (1992) 131
A theory of dislocation loop formation in binary alloys under irradiation, T. Hashimoto and N. Shigenaka 187 (1992) 161

Creep and Relaxation
An estimate of the irradiation creep rate in α-Fe based on computer simulation of vacancy pipe diffusion along ⟨100⟩{010}

dislocations, V.A. Borodin, Yu.R. Kevorkyan, V.V. Kolomytkin and A.I. Ryazanov 187 (1992) 131

Defects and Defect Structures

Defect models for the oxygen potentials of gadolinium- and europium-doped urania, K. Park and D.R. Olander 187 (1992) 89

An estimate of the irradiation creep rate in α-Fe based on computer simulation of vacancy pipe diffusion along ⟨100⟩{010} dislocations, V.A. Borodin, Yu.R. Kevorkyan, V.V. Kolomytkin and A.I. Ryazanov 187 (1992) 131

A theory of dislocation loop formation in binary alloys under irradiation, T. Hashimoto and N. Shigenaka 187 (1992) 161

Void denudation and grain boundary migration in ion-irradiated nickel, M.A. Shaikh 187 (1992) 303

Diffusion *(incl. Thermodiffusion)*

The influence of iron impurities on grain boundary self-diffusion in zirconium below 1138 K, C. Rodríguez and E. Forlerer de Svarch 187 (1992) 97

Self-diffusion in Zr–Ag alloys, R.V. Patil 187 (1992) 197

Diffusion coefficient of tritium in molten lithium–lead alloy ($Li_{17}Pb_{83}$) under neutron irradiation at elevated temperatures, T. Terai, S. Nagai, T. Yoneoka and Y. Takahashi 187 (1992) 247

Divertor

Experimental study of pulse plasma–carbon materials interaction during the simulation of thermal quench phase of tokamak plasma disruption, V.R. Barabash, A.G. Baranov, J. Gahl, V.L. Litunovsky, J. McDonald and I.B. Ovchinnikov 187 (1992) 298

Electron Microscopy and Electron Probe Microanalysis

Comparison of immersion density and improved microstructural characterization methods for measuring swelling in small irradiated disk specimens, T. Sawai, M. Suzuki, P.J. Maziasz and A. Hishinuma 187 (1992) 146

Radiation-induced segregation in irradiated Type 304 stainless steels, E.A. Kenik 187 (1992) 239

Experimental Techniques

A new method for evaluating stress–strain properties of metals using ultra-microhardness technique, K. Yasuda, K. Shinohara, M. Yamada, M. Kutsuwada and C. Kinoshita 187 (1992) 109

Fabrication

Functionally gradient material of silicon carbide and carbon as advanced oxidation-resistant graphite, K. Fujii, H. Imai, S. Nomura and M. Shindo 187 (1992) 204

Fast Reactors

Chemical reactions of caesium, tellurium and oxygen with fast breeder reactor cladding alloys. Part V – The corrosion of 12R72HV steel by Cs_2Te under constant O_2 potentials, R.J. Pulham and M.W. Richards 187 (1992) 39

The complex role of phosphorus in the neutron-induced swelling of titanium-modified austenitic stainless steels, F.A. Garner and M.A. Mitchell 187 (1992) 223

Fracture and Fracture Toughness

Embrittlement of 9Cr–1MoVNb and 12Cr–1MoVW steels irradiated in HFIR, R.L. Klueh and D.J. Alexander 187 (1992) 60

Compound Charpy specimens by adhesive joining, M.M. Ghoneim, F.H. Hammad, D. Pachur and L. Britz 187 (1992) 80

Some evidence of a brittle–ductile transition of zirconium hydride between 20 and 350°C, J.B. Bai and D. François 187 (1992) 186

The fracture toughness database of ferritic alloys irradiated to very high neutron exposures, F.H. Huang and M.L. Hamilton 187 (1992) 278

Fuels and Fuel Elements

The effect of initial composition on PuOCl formation in the direct oxide reduction of PuO_2, K.M. Axler and R.I. Sheldon 187 (1992) 183

Fusion Reactors

Modeling of tritium release from ceramic breeders: Status and some implications for next-step devices, G. Federici, C.H. Wu, A.R. Raffray and M.C. Billone 187 (1992) 1

Depletion of hydrogenoid atoms from the carbonized layer in Tore Supra, C. Grisolia, A. Grosman and J. Bardon 187 (1992) 74

Li transfer from a Li_2O blanket, M. Nishikawa, Y. Kawamura, K. Munakata and K. Yoneda 187 (1992) 153

Radiolysis of 4.5 mol dm^{-3} LiOH with $^6Li(n, \alpha)^3H$ ion recoil, A.J. Elliot and M.P. Chenier 187 (1992) 230

Gases *(excl. Hydrogen, Helium and Tritium)* **in Metals, Alloys and Ceramics**

Phase-equilibrium diagram for heavy inert gas bubbles confined in an elastic matrix, S.L. Kanashenko and D.B. Kuzminov 187 (1992) 55

Graphite and Carbon

Oxidation behavior of boronated graphite in

helium, containing water vapor, K. Fujii, S. Nomura, H. Imai and M. Shindo 187 (1992) 32
Depletion of hydrogenoid atoms from the carbonized layer in Tore Supra, C. Grisolia, A. Grosman and J. Bardon 187 (1992) 74
ESR spectra in graphite irradiated with He^+ ions, M. Miyake, W. Saiki, T. Daimon, P. Son, C. Miyake and H. Ohya-Nishiguchi 187 (1992) 138
Thermal desorption of D_2 and CD_4 from bulk-boronized graphites, V.Kh. Alimov, R. Schwörer, B.M.U. Scherzer and J. Roth 187 (1992) 191
Functionally gradient material of silicon carbide and carbon as advanced oxidation-resistant graphite, K. Fujii, H. Imai, S. Nomura and M. Shindo 187 (1992) 204
The energy dependence of lattice damage in graphite induced by low energy He-ion irradiation, K.G. Nakamura, E. Asari, M. Kitajima and T. Kawabe 187 (1992) 294
Experimental study of pulse plasma–carbon materials interaction during the simulation of thermal quench phase of tokamak plasma disruption, V.R. Barabash, A.G. Baranov, J. Gahl, V.L. Litunovsky, J. McDonald and I.B. Ovchinnikov 187 (1992) 298

Helium
Effect of irradiation in HFIR on tensile properties of Cr–Mo steels, R.L. Klueh and P.J. Maziasz 187 (1992) 43
Helium release from 19-year-old palladium tritide, J.A. Emig, R.G. Garza, L.D. Christensen, P.R. Coronado and P.C. Souers 187 (1992) 209
The energy dependence of lattice damage in graphite induced by low energy He-ion irradiation, K.G. Nakamura, E. Asari, M. Kitajima and T. Kawabe 187 (1992) 294

High-Temperature Reactors
Oxidation behavior of boronated graphite in helium, containing water vapor, K. Fujii, S. Nomura, H. Imai and M. Shindo 187 (1992) 32

Hydrogen and Hydrides *(incl. Deuterium and Deuterides)*
Depletion of hydrogenoid atoms from the carbonized layer in Tore Supra, C. Grisolia, A. Grosman and J. Bardon 187 (1992) 74
Laser desorption study of beryllium's hydrogen recycling properties at high temperature, R. Boivin and B. Terreault 187 (1992) 117
Thermal desorption of D_2 and CD_4 from bulk-boronized graphites, V.Kh. Alimov, R. Schwörer, B.M.U. Scherzer and J. Roth 187 (1992) 191
Helium release from 19-year-old palladium tritide, J.A. Emig, R.G. Garza, L.D. Christensen, P.R. Coronado and P.C. Souers 187 (1992) 209
Radiolysis of 4.5 mol dm^{-3} LiOH with $^6Li(n, \alpha)^3H$ ion recoil, A.J. Elliot and M.P. Chenier 187 (1992) 230
Trapping and reemission of deuterium implanted in BN, A.A. Pisarev, V.M. Smirnov, S.K. Zhdanov, A.V. Varava and V.V. Bandurko 187 (1992) 254

Impurities
The influence of iron impurities on grain boundary self-diffusion in zirconium below 1138 K, C. Rodríguez and E. Forlerer de Svarch 187 (1992) 97

Irradiation Effects *(excl. Defects, Swelling and Voids)*
Effect of irradiation in HFIR on tensile properties of Cr–Mo steels, R.L. Klueh and P.J. Maziasz 187 (1992) 43
Embrittlement of 9Cr–1MoVNb and 12Cr–1MoVW steels irradiated in HFIR, R.L. Klueh and D.J. Alexander 187 (1992) 60
Compound Charpy specimens by adhesive joining, M.M. Ghoneim, F.H. Hammad, D. Pachur and L. Britz 187 (1992) 80
Impact of β^- radiolysis and transient products on irradiation-enhanced corrosion of zirconium alloys, C. Lemaignan 187 (1992) 122
ESR spectra in graphite irradiated with He^+ ions, M. Miyake, W. Saiki, T. Daimon, P. Son, C. Miyake and H. Ohya-Nishiguchi 187 (1992) 138
A theory of dislocation loop formation in binary alloys under irradiation, T. Hashimoto and N. Shigenaka 187 (1992) 161
Diffusion coefficient of tritium in molten lithium–lead alloy ($Li_{17}Pb_{83}$) under neutron irradiation at elevated temperatures, T. Terai, S. Nagai, T. Yoneoka and Y. Takahashi 187 (1992) 247
The fracture toughness database of ferritic alloys irradiated to very high neutron exposures, F.H. Huang and M.L. Hamilton 187 (1992) 278
The energy dependence of lattice damage in graphite induced by low energy He-ion irradiation, K.G. Nakamura, E. Asari, M. Kitajima and T. Kawabe 187 (1992) 294

Kinetics
Oxidation behavior of boronated graphite in helium, containing water vapor, K. Fujii, S. Nomura, H. Imai and M. Shindo 187 (1992) 32
Depletion of hydrogenoid atoms from the carbonized layer in Tore Supra, C. Grisolia, A. Grosman and J. Bardon 187 (1992) 74

Alkaline solutions–bitumen interactions, G.P. Vassilev and Ch. Daiev 187 (1992) 99
A theory of dislocation loop formation in binary alloys under irradiation, T. Hashimoto and N. Shigenaka 187 (1992) 161

Liquid Metals
Diffusion coefficient of tritium in molten lithium–lead alloy ($Li_{17}Pb_{83}$) under neutron irradiation at elevated temperatures, T. Terai, S. Nagai, T. Yoneoka and Y. Takahashi 187 (1992) 247

Mechanical Properties *("Various", i.e. not listed elsewhere by name)*
Age hardening of cold-worked Zr–2.5wt% Nb pressure tube alloy, R. Kishore, R.N. Singh, G.K. Dey and T.K. Sinha 187 (1992) 70
A new method for evaluating stress–strain properties of metals using ultra-micro-hardness technique, K. Yasuda, K. Shinohara, M. Yamada, M. Kutsuwada and C. Kinoshita 187 (1992) 109
Elastic moduli of binary bcc solid solutions of Group Vb elements, R. Balasubramaniam 187 (1992) 180
Hot-working characteristics of Zircaloy-2 in the temperature range of 650–950°C, J.K. Chakravartty, S. Banerjee, Y.V.R.K. Prasad and M.K. Asundi 187 (1992) 260

Microstructure *(incl. Textures)*
Electrochemical and microstructural characterization of an austenitic stainless steel irradiated by heavy ions at 515°C, G.E.C. Bell, T. Inazumi, E.A. Kenik and T. Kondo 187 (1992) 170

Nickel and Nickel Alloys
Neutron-induced swelling of binary Ni–Al alloys, M.A. Mitchell and F.A. Garner 187 (1992) 103
Void denudation and grain boundary migration in ion-irradiated nickel, M.A. Shaikh 187 (1992) 303

Phase Transformation
Phase-equilibrium diagram for heavy inert gas bubbles confined in an elastic matrix, S.L. Kanashenko and D.B. Kuzminov 187 (1992) 55

Plasma Disruption
Experimental study of pulse plasma–carbon materials interaction during the simulation of thermal quench phase of tokamak plasma disruption, V.R. Barabash, A.G. Baranov, J. Gahl, V.L. Litunovsky, J. McDonald and I.B. Ovchinnikov 187 (1992) 298

Plutonium, Plutonium Alloys and Compounds
The effect of initial composition on PuOCl formation in the direct oxide reduction of PuO_2, K.M. Axler and R.I. Sheldon 187 (1992) 183

Pore Behaviour and Porosity
Formation of peripheral porosity regions around urania in zirconia–urania mixed oxide powder compact sintering, P. Das and R. Choudhury 187 (1992) 272

Powder Processes and Products
Formation of peripheral porosity regions around urania in zirconia–urania mixed oxide powder compact sintering, P. Das and R. Choudhury 187 (1992) 272

Refractory Metals and Alloys *("Various", i.e. not listed elsewhere by name)*
Elastic moduli of binary bcc solid solutions of Group Vb elements, R. Balasubramaniam 187 (1992) 180

Segregation
Neutron-induced swelling of binary Ni–Al alloys, M.A. Mitchell and F.A. Garner 187 (1992) 103
Radiation-induced segregation in irradiated Type 304 stainless steels, E.A. Kenik 187 (1992) 239

Silicon Refractory Ceramics
Functionally gradient material of silicon carbide and carbon as advanced oxidation-resistant graphite, K. Fujii, H. Imai, S. Nomura and M. Shindo 187 (1992) 204

Steels
Effect of irradiation in HFIR on tensile properties of Cr–Mo steels, R.L. Klueh and P.J. Maziasz 187 (1992) 43
Embrittlement of 9Cr–1MoVNb and 12Cr–1MoVW steels irradiated in HFIR, R.L. Klueh and D.J. Alexander 187 (1992) 60
Compound Charpy specimens by adhesive joining, M.M. Ghoneim, F.H. Hammad, D. Pachur and L. Britz 187 (1992) 80
Comparison of immersion density and improved microstructural characterization methods for measuring swelling in small irradiated disk specimens, T. Sawai, M. Suzuki, P.J. Maziasz and A. Hishinuma 187 (1992) 146
Electrochemical and microstructural characterization of an austenitic stainless steel irradiated by heavy ions at 515°C, G.E.C. Bell, T. Inazumi, E.A. Kenik and T. Kondo 187 (1992) 170
The complex role of phosphorus in the neutron-induced swelling of titanium-mod-

ified austenitic stainless steels, F.A. Garner and M.A. Mitchell 187 (1992) 223
Radiation-induced segregation in irradiated Type 304 stainless steels, E.A. Kenik 187 (1992) 239
The fracture toughness database of ferritic alloys irradiated to very high neutron exposures, F.H. Huang and M.L. Hamilton 187 (1992) 278

Strenght Properties
Effect of irradiation in HFIR on tensile properties of Cr–Mo steels, R.L. Klueh and P.J. Maziasz 187 (1992) 43

Surface Effects and Characterization Techniques
ESR spectra in graphite irradiated with He^+ ions, M. Miyake, W. Saiki, T. Daimon, P. Son, C. Miyake and H. Ohya-Nishiguchi 187 (1992) 138
Thermal desorption of D_2 and CD_4 from bulk-boronized graphites, V.Kh. Alimov, R. Schwörer, B.M.U. Scherzer and J. Roth 187 (1992) 191

Swelling
Neutron-induced swelling of binary Ni–Al alloys, M.A. Mitchell and F.A. Garner 187 (1992) 103
Comparison of immersion density and improved microstructural characterization methods for measuring swelling in small irradiated disk specimens, T. Sawai, M. Suzuki, P.J. Maziasz and A. Hishinuma 187 (1992) 146
The complex role of phosphorus in the neutron-induced swelling of titanium-modified austenitic stainless steels, F.A. Garner and M.A. Mitchell 187 (1992) 223

Thermal Reactors
Oxidation of uranium in argon–25% oxygen at 190–610°C, P.J. Hayward, D.G. Evans, P. Taylor, I.M. George and A.M. Duclos 187 (1992) 215

Thermodynamic Properties
Phase-equilibrium diagram for heavy inert gas bubbles confined in an elastic matrix, S.L. Kanashenko and D.B. Kuzminov 187 (1992) 55
Li transfer from a Li_2O blanket, M. Nishikawa, Y. Kawamura, K. Munakata and K. Yoneda 187 (1992) 153
The effect of initial composition on PuOCl formation in the direct oxide reduction of PuO_2, K.M. Axler and R.I. Sheldon 187 (1992) 183

Thermophysical Properties
Defect models for the oxygen potentials of gadolinium- and europium-doped urania, K. Park and D.R. Olander 187 (1992) 89

Tritium and Tritides
Modeling of tritium release from ceramic breeders: Status and some implications for next-step devices, G. Federici, C.H. Wu, A.R. Raffray and M.C. Billone 187 (1992) 1
Helium release from 19-year-old palladium tritide, J.A. Emig, R.G. Garza, L.D. Christensen, P.R. Coronado and P.C. Souers 187 (1992) 209
Diffusion coefficient of tritium in molten lithium–lead alloy ($Li_{17}Pb_{83}$) under neutron irradiation at elevated temperatures, T. Terai, S. Nagai, T. Yoneoka and Y. Takahashi 187 (1992) 247

Uranium and Uranium Alloys
Oxidation of uranium in argon–25% oxygen at 190–610°C, P.J. Hayward, D.G. Evans, P. Taylor, I.M. George and A.M. Duclos 187 (1992) 215

Uranium Ceramics
Defect models for the oxygen potentials of gadolinium- and europium-doped urania, K. Park and D.R. Olander 187 (1992) 89
Oxidation of uranium in argon–25% oxygen at 190–610°C, P.J. Hayward, D.G. Evans, P. Taylor, I.M. George and A.M. Duclos 187 (1992) 215
Formation of peripheral porosity regions around urania in zirconia–urania mixed oxide powder compact sintering, P. Das and R. Choudhury 187 (1992) 272

Wastes *(radioactive)*
Alkaline solutions–bitumen interactions, G.P. Vassilev and Ch. Daiev 187 (1992) 99

Zirconium, Zirconium Alloys and Compounds
Age hardening of cold-worked Zr–2.5wt% Nb pressure tube alloy, R. Kishore, R.N. Singh, G.K. Dey and T.K. Sinha 187 (1992) 70
The influence of iron impurities on grain boundary self-diffusion in zirconium below 1138 K, C. Rodríguez and E. Forlerer de Svarch 187 (1992) 97
Impact of β^- radiolysis and transient products on irradiation-enhanced corrosion of zirconium alloys, C. Lemaignan 187 (1992) 122
Some evidence of a brittle–ductile transition of zirconium hydride between 20 and 350°C, J.B. Bai and D. François 187 (1992) 186
Self-diffusion in Zr–Ag alloys, R.V. Patil 187 (1992) 197
Hot-working characteristics of Zircaloy-2 in the temperature range of 650–950°C, J.K. Chakravartty, S. Banerjee, Y.V.R.K. Prasad and M.K. Asundi 187 (1992) 260
Formation of peripheral porosity regions around urania in zirconia–urania mixed oxide powder compact sintering, P. Das and R. Choudhury 187 (1992) 272